


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Timothy J. Ohara et al.	Examiner: UNKNOWN	RECEIVED CENTRAL FAX CENTER JUL 26 2006
Serial No.: 10/620,055	Group Art Unit: 1743	
Filed: July 14, 2003	Docket No.: LIFE-012DIV (LSI0054/US/2)	
For: ELECTROCHEMICAL COAGULATION ASSAY AND DEVICE		

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I CERTIFY THAT ON JULY 26, 2006, THIS PAPER IS BEING
TRANSMITTED VIA FACSIMILE TO THE U.S. PATENT OFFICE,
COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA
22313-1450 ATTENTION GROUP ART UNIT 1700, AT FACSIMILE
571-273-8300.


Renee A. Wolff

STATUS INQUIRY


Dear Sir:

Our records show that there has been no action from the U.S. Patent and Trademark Office on the above-referenced application since receipt of the Communication projecting the application to be first examined in 14 to 17 months sent on October 8, 2004.

We respectfully request that you please notify us as to the status of this application as soon as it is convenient.

Respectfully Submitted,

Dated: July 26, 2006

By: 
Kimberly S. Jordahl, Reg. No. 40,998
Customer No. 33072
Phone: 651-275-9809
Facsimile: 651-351-2954

28715